



DRYGLOVE



Operating instructions
Diving suit assembly

www.dryglove.com

so simple to use



Pull the black o-ring slightly lubricated outside over the sleeve into the provided slot



Push the sleeve protective ring (MS) with the larger diameter over the sleeve and the o-ring and click into



Put the red o-ring slightly lubricated into the provided slot of the sleeve protective ring (MS)

Regular re-lubricating facilitates to put on and take off the diving gloves





In order to **put on** the diving gloves apply the diving glove with one side to the sleeve protective ring (MS) jam it against the thigh and press it close with one hand



In order to **pull off** the diving gloves, push the diving glove ring from inside towards the sleeve protective ring

Cleaning

Rinse the diving gloves with water after use. Do not put the diving gloves under the sun or on heat radiators for drying

Stocking

Stock the diving glove system at a dark and cool place. Avoid exposing the diving glove system to intense solar radiation. Do not stock your diving glove system nearby any devices which produce ozone, e.g. motors, heating devices, or others

Maintenance

The diving glove system does not require any particular maintenance. Before each use, check, if there are any small holes on the diving gloves and on the o-rings. If there are any small holes on the diving gloves or on the o-rings, replace the corresponding parts. Slightly lubricate the red o-ring. To do so, use the Dryglove grease. If any other grease which is not approved is being used, this will render the warranty null and void

Certification

The Dryglove dry diving gloves had been certified according to the EC guideline 8976867 EEC item 10. EN 14225-2:2005, TÜV Rheinland Product Safety GmbH, Am Grauen Stein, D-51105 Köln, Notified Body 0197.

In case of any doubts regarding this instruction for operating instruction or if your shop or your instructor will not give you sufficient information, please contact:

KWTT GmbH - Hirsauer Strasse 149 - 75180 Pforzheim
phone +49 (0) 7231 - 42 44 770 Fax: +49 (0) 7231 - 42 44 780 info@dryglove.com



www.dryglove.com

Optional Products



Neopren inner glove

- 100% Comfort - 0% Risk
- for all Dryglove Systems
- 2 mm Ultra-Stretch-Neopren

Fleece inner glove

- for all Dryglove Systeme
- Anti Pilling Fleece



Grease

- Optimum for the maintenance of your o-rings

www.dryglove.com